




Dahua Deephub Whiteboard

The Peak of Performance, The Choice for Collaboration



DHI-LPH65/75/86-ST470-L-S2

Unrivaled Power

Built-in Android 16 OS

Powered by a flagship 8-core CPU (4xA72 + 4xA53) and Mali-G52 MC3 GPU, providing seamless multitasking for demanding business and education applications.

8GB RAM + 128GB ROM

Future-Proof Software Ecosystem

Instant Response for Heavy Files



Android 16



8-core CPU

4k UHD Display & High-Brightness Clarity



4K UHD Visual Immersion

Experience extreme realism with 3840 x 2160 native resolution delivering razor-sharp details. Our engineered Zero Air Gap Design eliminates optical parallax and dramatically enhances color contrast.




High-Brightness Clarity(450 nits, typ.)

Designed for bright environments like glass-walled classrooms and boardrooms. The 450 nits (typ.) brightness, paired with premium Anti-Glare Tempered Glass, ensures clear, glare-free visibility from any angle.



Professional Color & Image Calibration



Color Standards

Standard coordinates (0.28, 0.3). Ensures perfect color reproduction for commercial and artistic assets.



9500K±500K White Balance

Optimized cold-light target. Prevents panel yellowing and significantly reduces eye fatigue.



Gamma 2.2 Luminance curve

Standardized grayscale curve. Preserves deep shadow details without washed-out or dim tones.



Zero Ghosting Optimization

Next-gen frame response. Eliminates trailing artifacts for high-speed videos and fluid stylus writing.

Connectivity Without Limits



WiFi 6 Support

High-speed, low-latency wireless networking for smooth high-def streaming and fast file transfers.



Wireless Sharing

One-tap screen sharing from PCs, phones, and tablets with interactive reverse control capabilities.




Bluetooth 5.2

Stable connection for peripherals such as speakers, microphones, and wireless input devices.

Educational Software — Whiteboard


Text Recognition

Tap "A" to instantly convert handwriting to text, which automatically enables printed text conversion online for seamless AI searches, edits, and multi-platform queries (Google/YouTube/Wiki), allowing you to "long-press" and drag web images directly into the whiteboard" for immediate use.




Educational Software — Whiteboard


Versatile Tools




Curtain




**Generate
Function
Graph**




**Insert compass,
ruler, triangular
ruler**




**Mind
Map**



**Multi-
screen**



**Online
Search**




**Sticky
Notes**




**Quick
transfer**

Intelligent Software — AI Assistant




Natural AI Dialogue

Launch vocal or text-based interactive conversations. Featuring an intuitive stop mechanism to pause text generation instantly on request.



31-Language Translation

Highly accurate real-time translation module. Effortlessly access and expand complete language indices to break down multi-lingual barriers.



Intelligent AI Search

Direct queries and circle-to-search enable instant semantic canvas search, delivering precise knowledge and contextual references.

**The voice feature requires an external microphone.*

Intelligent Software — AI Questions

Personalized Generation

Instantly construct localized assessments aligned with global curriculum structures.

Geographic Alignment

Select curricula aligned with the United States, United Kingdom, Spain, Saudi Arabia, China, and more.

Custom Parameters

Refine generated material based on specified grade levels, academic subjects, and question volume.

Dynamic Classroom Grading

Empower educators with immediate evaluation feedback on the main panel.

Answers and Analysis

Tap on any question to instantly view detailed logical steps, grading rubrics, and the correct answers.

Seamless Toggling

Effortlessly jump between generated topics to maintain the pacing of interactive class lectures.

Management Software — MDM

Centralized Intelligence


Simplify device management with remote control, bulk deployment, and real-time usage insights.

Account Binding

Simple registration via homepage for device tracking and security.

Instant Access

No complex setup required; intuitive mobile control page for real-time operation.



Screen Mirroring Software — Eshare

Seamless Cross-Device Collaboration

EShare is a comprehensive multi-screen interactive suite designed to facilitate screen casting, wireless content distribution, and control between personal endpoints and large-format displays.

Universal Mirroring

Cast from Windows, macOS, Android, iOS, ChromeOS, and Ubuntu screens seamlessly.

Bidirectional Interaction

Touch-back feedback on the larger monitor controls your personal client device.

Instant File Sharing

Cast media files, office papers, and slides directly.



Technical Specification

Built-in System

Operating System	Android 16
CPU	A72*4+A53*4
GPU	Mali-G52MC3
RAM	8 GB
ROM	128G

LCD Panel

Panel Dimensions	65"/75"/86"
Backlight	DLED
Aspect Ratio	16 : 9
Brightness	450 cd/m² (typ.)
Static Contrast	VA: 4000:1 (typ.); IPS: 1200:1 (typ.)
Resolution	3,840 (H) × 2,160 (V)
Viewing Angle	178° (H)/178° (V)
Response Time	≤8.5 ms (typ.)
Refresh Rate	60 Hz
System Support	Windows, Android
Touch Screen Writing Tools	Pen & Finger

Device Ports

Port	1 × Type-C	1 × HDMI out (2.0)
	1 × HDMI in (4K@60HZ)	1 × RS232
	1 × HDMI in (4K@60HZ)	1 × SPDIF coax
	1 × Type-C	1 × line in (3.5mm)
	3 × USB 3.0 Type-A	1 × Audio out (3.5mm)
	2 × USB 2.0 Type-A	1 × RJ45 IN (10/100/1000Mbps)
	1 × TOUCH (USB3.0 Type-B)	1 × TF slot
	1 × TOUCH (USB2.0 Type-B)	1 × OPS Slot

Function

Bluetooth	5.2
Wi-Fi	Yes

Touchscreen

Touch Technology	Infrared touch technology
Attachment Method	Zero Air Gap
Response Time	≤5 ms
Touch Points	Android: 20 points; Windows: 40 points
Touch Accuracy	±2mm
Minimum Object Size	2 mm
Writing Mode	Finger and stylus pen
Anti-light Interference	Anti-glare tempered glass
Surface Hardness	≥9H
Touch Resolution	32,767 × 32,767

Technical Specification

Speaker

Built-in Speaker	2
Power	2 × 20 W

General

Power Supply	100–240 VAC, 50/60 Hz
Power Consumption	≤ 0.5W
Operating Temperature	0 °C to +40 °C (+32 °F to +104 °F)
Storage Temperature	–10 °C to +50 °C (+14 °F to +122 °F)
Operating Humidity	10%–90%, 101 kPa
Storage Humidity	10%–90%, 101 kPa
Glass	3.2 mm anti-glare tempered glass
Installation	Wall mount or mobile bracket

Packing List

1 × Smart interactive whiteboard
1 × Power Cord
2 × Stylus Pen
1 × Quick Start Guide
1 × Wall mount bracket
1 × Remote Control
1 × Legal and Regulatory Information
1 × Wall Mount Screw Kit
3 × Aerial Rod

Certification

Certifications	CE, EDLA
----------------	----------

Ordering Information

Type	Smart interactive whiteboard
Model	DH-HPH65/75/86-ST470-L-S2
Description	Smart interactive whiteboard

ENABLING A SMARTER SOCIETY AND BETTER LIVING

Dahua Technology Hungary Kft.
Tel: +36 17899852
Email: sales.hu@dahuatech.com

Dahua Technology Poland Sp. z o. o.
Tel: +48 223957400
Email: biuro.pl@dahuatech.com

Dahua Technology SRB d.o.o
Tel: +38 1 (11) 4429999
Email: dh.srb@dahuatech.com

Dahua Technology Israel Ltd.
Email: admin.il@dahuatech.com

Dahua Technology Bulgaria EDOO
Tel: +359876798929
Email: gergana.naydenova@dahuatech.com

Dahua Technology S.R.L
Email: marketing.ro@dahuatech.com

Dahua Technology Czech s.r.o
Tel: +420 225 986 001
Email: admin.cz@dahuatech.com

Dahua Guvenlik Teknolojileri Sanayi ve Ticaret A.S.
Email: sales.tr@dahuatech.com

Dahua Technology Denmark ApS
Email: Nordic.ne@dahuatech.com

Dahua Technology Mexico S.A. DE C.V.
Tel: +52 55 67231936
Technical Hotline: 525568269009
WhatsApp: +52 55 9337 2150
Email: Dahua.Mexico@dahuatech.com
Support: support.mx@dahuatech.com

Dahua Technology Colombia S.A.S.
Tel: +57 601 3106176
Technical Hotline: 578005190687
WhatsApp: +52 55 9337 2150
Email: marketing.co@dahuatech.com
Support: support.co@dahuatech.com

Dahua Technology India Private Limited
Tel: +91 124 4569100
Technical Hotline: 1800 1035719
WhatsApp: +91-8800012758
Email: sales.india@dahuatech.com

Dahua Technology Chile SpA
Technical Hotline: +56 2 26660989
WhatsApp: +56 9 89564372
Support: support.chile@dahuatech.com

Dahua Technology Perú S.A.C
Address: Av. Ricardo Rivera Navarrete #475 Int 1701 - San Isidro
Repair Center: Av. República de Panamá N 3531, Distrito San Isidro
Technical Hotline: 80056168
AI Customer Service: +52 1 55 9337 2150
WhatsApp: +52 55 9337 2150
Email: sales.pe@dahuatech.com
Support: support.pe@dahuatech.com

Dahua Technology Panama S.A.
Address: ciudad de Panamá, Punta Pacífica, torre de las Américas, torre C, oficina 2004
WhatsApp: +52 55 9337 2150

Dahua Brazil
Address: Rua George Ohm, 206 - Brooklin Novo, São Paulo - SP, 04576-020
Tel: +55 11 3251 1871
Technical Support for capitals (phone and WhatsApp): +55 11 4000 2984
Technical Support for other regions: +55 0800 000 4230
Email: comercial.br@dahuatech.com
Support: suporte.br@dahuatech.com
Press Inquiries: PR_Global@dahuatech.com

Dahua Iberia, S.L
Tel: +34 917649862
Email: sales.iberia@dahuatech.com
Support: support.iberia@dahuatech.com

Dahua Technology Italy s.r.l.
Tel: +39 02 99912900
Email: info.italy@dahuatech.com
Support: support.italy@dahuatech.com

Dahua Technology Middle East FZE
Email: info.me@dahuatech.com
Sales.me@dahuatech.com; project.mena@dahuatech.com
Service Center Hotline & WhatsApp: +971 582464426
Support: support.mena@dahuatech.com

Dahua Technology GmbH
Tel: +49 211 2054 4120
Email: sales.de@dahuatech.com
Support: support.de@dahuatech.com

Dahua Technology Azerbaijan
Email: Dahua_Azerbaijan@dahuatech.com

DAHUA ARGENTINA S.A.
Address: Lola Mora 421 piso 9no oficina 901 - CABA
CUIT: 30-71548925-9
Email: ventas.ar@dahuatech.com
Support: +54 9 1134897566

Dahua Europe BV
Tel: +31 (0) 85-0715700
Email: sales.benelux@dahuatech.com
Support: support.benelux@dahuatech.com
Address: Houtsingel 19, 2719 EA, Zoetermeer, the Netherlands

Dahua Technology France
Tel: +33 (0) 1 48 53 70 53
Technical Hotline: 33176278451
Email: sales.france@dahuatech.com
Support: support.france@dahuatech.com

Dahua Singapore
Tel: +65 65380952
Technical Hotline: 65 31298008
WhatsApp: +60-11 56935900
Email: sales.sg@dahuatech.com

Dahua Malaysia
Tel: +60376620732
Technical Hotline: 60 1800813118
WhatsApp: +60-11 56935900 / +60-18 3022 135
Email: sales.my@dahuatech.com

Dahua Indonesia
Tel: +62 27893330
Technical Hotline: 78033218278
WhatsApp: +62 822-6124-4889/+62 811-1001-6201
Email: Sales.indo@dahuatech.com
Support: support.id@dahuatech.com

Dahua Philippines
Tel: 1800 1550 0066
Technical Hotline: 1800 1550 0066 (Extension #2)
Viber Number: 0966 528 6548
Email: marketing.ph@dahuatech.com

Dahua Australia
Tel: +61 290306000
Technical Hotline: 1800 132 482
Email: sales.oc@dahuatech.com

Dahua New Zealand
Tel: +64 09 2823467
Technical Hotline: +64 800 700 106
Email: dahua.nz@dahuatech.com

Dahua Uzbekistan (OOO "Dahua Vision")
Tel: +998 781488666

Dahua Kazakhstan (Dahua Technology Kazakhstan LLP)
Tel: +7 727 3110838
Email: sales.kz@dahuatech.com

Dahua Technology Ukraine Office
Tel: +380674011526
Technical Hotline: +44 1628 200880
Email: dahua.ukraine@dahuatech.com

Dahua Technology UK Limited
Address: 1st Floor, The Quantum, 60 Norden Road, Maidenhead, SL6 4AY
Sales: sales.uk@dahuatech.com
Marketing: marketing.uk@dahuatech.com
Technical Support: support.uk@dahuahelp.com
Contact Tel: +44(0)1628 200880 (Trade Only, UK & Ireland)
Press Enquiries: press.uk@dahuatech.com

Dahua Technology South Africa (Pty) Ltd | Head Office
Tel: +27 10 593 3242
WhatsApp Help-Line: +27 (0)87 250 2887
Toll-Free Help-Line: 080 099 0064
Email: sales.za@dahuatech.com
Support: support.za@dahuatech.com

Dahua Technology Kenya Representative Ltd
Email: EastAfrica@dahuatech.com
WhatsApp Help-Line: 0111055510
RMA: +254746261399

Dahua Technology Nigeria Representative Ltd.
Email: WestAfrica@dahuatech.com
Support: rma.nigeria@dahuatech.com
Office Tel: +234 (0) 908 888 8582

Dahua Thailand
Tel: +66 2078 6969
Technical Hotline: +66 2171 2482
Line Official: @dahua_thailand
Email: info.th@dahuatech.com

Dahua Technology Korea
Tel: +82 2 6486 8889
Technical Hotline: +82 1899 0875
Email: sales.kr@dahuatech.com

Dahua Vietnam
Tel: +84 24 3202 6616
Technical Hotline: +84 1900 2620
Email: info.Dahuvietnam@dahuatech.com

Dahua Technology Japan
Tel: +81 3 6661 6818
Email: Dahua_Japan@dahuatech.com
Technical Hotline: 0120 693 233

Ver.1, Jul. 2026

DAHUA TECHNOLOGY

Add: No.1199 Bin'an Road, Binjiang District, Hangzhou, China. 310053
Email: overseas@dahuatech.com
Website: www.dahuasecurity.com

* Copyright Statement

Without the written permission of the original author and the Dahua brand, please do not reproduce, copy, modify, disseminate, or use for any commercial purposes that are not combined with the Dahua brand or Dahua products.

* Liability Disclaimer

The Dahua brand assumes no legal responsibility for any copyright disputes arising from your use of this material.



Facebook



LinkedIn



Partner App



Website